



# Safety Data Sheet

Issue Date: 02-Feb-2015

Revision Date: 14-Oct-2020

Version 1

## 1. IDENTIFICATION

### Product identifier

**Product Name** Advance Temporary Cement Remover

### Other means of identification

**SDS #** ADV-010

**Product Code** 436375

**UN/ID No** UN1760

### Recommended use of the chemical and restrictions on use

**Recommended Use** Removal of temporary dental cements from instruments.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Advance Dental Products  
P.O. Box 29279  
Atlanta, GA 30359

### Emergency telephone number

**Company Phone Number** (877) 896-7341 (Monday-Friday 8am - 4:45pm EST)

**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear colorless liquid

**Physical state** Liquid

**Odor** Irritating

### Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

### Signal Word

**Danger**

### Hazard statements

Causes severe skin burns and eye damage



### Precautionary Statements - Prevention

Do not breathe dusts or mists

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other hazards**

Harmful to aquatic life with long lasting effects

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%
Sodium metasilicate	6834-92-0	<10
Tetrasodium Ethylenediaminetetraacetate	64-02-8	<5
Sodium hydroxide	1310-73-2	<3

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

**4. FIRST AID MEASURES****Description of first aid measures**

<b>General Advice</b>	Immediately call a poison center or doctor/physician.
<b>Eye Contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
<b>Skin Contact</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor/physician.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting.

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	May be harmful if swallowed. Causes severe skin burns and eye damage.
-----------------	---

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protective equipment as required.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Small spill: Use appropriate absorbent material to soak up spill. Put the solid waste in a convenient waste disposal container. If necessary, neutralize the residue with a dilute solution of sodium carbonate. Large spill: Stop leak if without risk. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confine areas; dike if needed. Use appropriate absorbent material to soak up spill. Call for assistance on disposal. Neutralize the waste material with a dilute solution of sodium carbonate.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on Safe Handling** Do not breathe dusts or mists. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Store locked up. Store in well ventilated areas at ambient temperatures.

**Incompatible Materials** Strong reducing agents. Halogens. Peroxides. Strong oxidizing agents. Strong acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium metasilicate 6834-92-0	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	-
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Provide normal room ventilation or local exhaust if necessary. Emergency eye wash station must be available.

**Individual protection measures, such as personal protective equipment**

<b>Eye/Face Protection</b>	Use safety goggles or approved safety glasses.
<b>Skin and Body Protection</b>	Use protective gloves and discard after contact with product. Pants, long sleeves, clinical jacket, apron.
<b>Respiratory Protection</b>	Use clinical face mask when using Temporary Cement Remover as directed as long as adequate room ventilation is present. Avoid direct inhalation of vapors. Use NIOSH approved respirator if using this product in a confined space without adequate ventilation.
<b>General Hygiene Considerations</b>	Wash hands after using. Launder contaminated clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Irritating
<b>Appearance</b>	Clear colorless liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Colorless		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>	
<b>pH</b>	>12		
<b>Melting point / freezing point</b>	Not determined		
<b>Boiling point / boiling range</b>	>100 °C / >212 °F		
<b>Flash point</b>	Not determined		
<b>Evaporation Rate</b>	Not determined		
<b>Flammability (Solid, Gas)</b>	Liquid-Not applicable		
<b>Flammability Limit in Air</b>			
<b>Upper flammability or explosive limits</b>	Not determined		
<b>Lower flammability or explosive limits</b>	Not determined		
<b>Vapor Pressure</b>	Not determined		
<b>Vapor Density</b>	1.105	(Air=1)	
<b>Relative Density</b>	>1.10	(20°C/68°F)	
<b>Water Solubility</b>	Completely soluble		
<b>Solubility in other solvents</b>	Not determined		
<b>Partition Coefficient</b>	Not determined		
<b>Autoignition temperature</b>	Not determined		
<b>Decomposition temperature</b>	Not determined		
<b>Kinematic viscosity</b>	Not determined		
<b>Dynamic Viscosity</b>	Not determined		
<b>Explosive Properties</b>	Not determined		
<b>Oxidizing Properties</b>	Not determined		

**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions.

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

Will evolve gases if mixed with strong oxidizing agents and acids.

**Conditions to Avoid**

Keep out of reach of children.

**Incompatible materials**

Strong reducing agents. Halogens. Peroxides. Strong oxidizing agents. Strong acids.

**Hazardous decomposition products**

Combustion may produce carbon monoxide, carbon dioxide, and nitrogen oxides.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure****Product Information**

<b>Eye Contact</b>	Avoid contact with eyes.
<b>Skin Contact</b>	Avoid contact with skin.
<b>Inhalation</b>	Do not inhale.
<b>Ingestion</b>	May be harmful if swallowed.

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium metasilicate 6834-92-0	= 1153 mg/kg ( Rat )	-	-
Tetrasodium Ethylenediaminetetraacetate 64-02-8	= 10 g/kg ( Rat ) = 1658 mg/kg ( Rat )	-	-
Sodium hydroxide 1310-73-2	= 325 mg/kg ( Rat )	= 1350 mg/kg ( Rabbit )	-

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Symptoms</b>	Please see section 4 of this SDS for symptoms.
-----------------	--

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Causes severe skin burns.
<b>Serious eye damage/eye irritation</b>	Causes severe eye damage.
<b>Carcinogenicity</b>	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

<b>Oral LD50</b>	3,661.70 mg/kg
<b>Dermal LD50</b>	46,551.70 mg/kg

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

**Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Sodium metasilicate 6834-92-0		210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	216: 96 h Daphnia magna mg/L EC50
Tetrasodium Ethylenediaminetetraacetate 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	59.8: 96 h Pimephales promelas mg/L LC50 static 41: 96 h Lepomis macrochirus mg/L LC50 static	610: 24 h Daphnia magna mg/L EC50
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

There is no data for this product.

**Mobility**

Not determined

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

UN/ID No UN1760  
 Proper Shipping Name Corrosive liquid, n.o.s. (Sodium metasilicate, Sodium hydroxide)  
 Hazard class 8  
 Packing Group II

**IATA**

UN number UN1760  
 Proper Shipping Name Corrosive liquid, n.o.s. (Sodium metasilicate, Sodium hydroxide)  
 Transport hazard class(es) 8  
 Packing Group II

**IMDG**

<b>UN number</b>	UN1760
<b>Proper Shipping Name</b>	Corrosive liquid, n.o.s. (Sodium metasilicate, Sodium hydroxide)
<b>Transport hazard class(es)</b>	8
<b>Packing Group</b>	II

**15. REGULATORY INFORMATION****International Inventories**

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Sodium metasilicate	X	ACTIVE	X	X	X	X	X	X	X
Tetrasodium Ethylenediaminetetraacetate	X	ACTIVE	X	X	X	X	X	X	X
Sodium hydroxide	X	ACTIVE	X	X	X	X	X	X	X

**Legend:***TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances**AICS - Australian Inventory of Chemical Substances***US Federal Regulations****CERCLA**

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**CWA (Clean Water Act)**

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			X

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	X	X	X

**16. OTHER INFORMATION****NFPA****Health Hazards**

Not determined

**Flammability**

Not determined

**Instability**

Not determined

**Special Hazards**

Not determined

**HMIS****Health Hazards**

Not determined

**Flammability**

Not determined

**Physical hazards**

Not determined

**Personal Protection**

Not determined

**Issue Date:** 02-Feb-2015**Revision Date:** 14-Oct-2020**Revision Note:** New format**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**