



MATERIAL SAFETY DATA Vista Dental Products
Caries Indicator - Red

SECTION 1 - PRODUCT IDENTIFICATION

Company Name: Inter-Med, Inc. /Vista Dental Products
2200 Northwestern Avenue
Racine, WI 53404
Phone: (877) 418-4782
Fax: (262) 636-9760
Prepared: June 3, 2003

SECTION II - HAZARDOUS INGREDIENTS OF MIXTURES

| Material | CAS # | OSHA PEL | ACGIH TLV |
|------------------|-----------|----------|-----------|
| Propylene Glycol | 57-55-6 | ND | ND |
| Acid Red 52 | 3520-42-1 | ND | ND |

SECTION III - PHYSICAL DATA

(ND = NOT DETERMINED) (NA = NOT APPLICABLE)

Vapor Pressure, mm Hg: NA Vapor Density (Air=1): NA
Evaporation Rate (ether=1): NA % Volatile by Volume: NA
Solubility in H₂O: Moderately water soluble Boiling Point: 188° C
Specific Gravity (H₂O=1): 1.04 Appearance: Red liquid
Odor: NA

SECTION IV - FIRE AND EXPLOSION

Flash point: > +99°C
Flammable Limits: NA
Extinguishing Media: Carbon dioxide, foam, dry chemical
Special Fire Fighting Procedures: None
Unusual Fire and Explosion Hazards: None

SECTION V - REACTIVITY DATA

Stability: Stable (x) Unstable ()
Conditions to avoid: Prolonged extreme heat.
Incompatibility: (Materials to avoid) ND
Hazardous Decomposition Products: None
Hazardous Polymerization: May Occur () Will not occur (x)
Conditions to Avoid: Extreme Heat



MATERIAL SAFETY DATA Vista Dental Products

Caries Indicator - Red

SECTION VI - HEALTH HAZARDS

OSHA Permissible Exposure Limit: None

ACGIH Threshold Exposure Limit: None

Other Exposure Limit Used: None

Chronic, Other: None

Acute Overexposure: Irritation to eyes and skin. Allergic skin reaction possible.

May cause nausea, headache, and gastrointestinal disturbances.

Medical Conditions Generally Aggravated by Exposure: None known

Hygienic Practices: None

Primary Route(s) of Exposure: Skin, eye, ingestion

Chemical Listed as Carcinogen or Potential Carcinogen: Not listed

SECTION VII - EMERGENCY AND FIRST AID PROCEDURES

Skin: Wash affected area with soap and water.

Ingestion: Rinse mouth and seek immediate medical advice.

Eyes: Rinse immediately with plenty of water and seek medical advice.

Inhalation: Exit to fresh air.

SECTION VIII - SPILL OR LEAK PROCEDURES

Spill Management: Use absorbent to collect the material. Wash contaminated surfaces with soap and water.

Waste Disposal Methods: Dispose of safely in accordance with local, state and federal regulations.

SECTION IX - PROTECTION INFORMATION/CONTROL MEASURES

Respiratory: None required

Eye Protection: Safety Goggles

Gloves: Rubber/PVC gloves

Ventilation: None required

Other Clothing and Equipment: None

Prior to use, the user shall determine the suitability of use for this product.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Inter-Med Inc. / Vista Dental Products be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Inter-Med Inc. / Vista Dental Products has been advised of the possibility of such damages.