Trade Name: Porcelain Etch Gel

1.0	Commercial Product Name and Supplier			
1.1	Commercial product name / designation	Pulpdent Porcelain Et	ch Gel, 9.6% Hydroflu	ıoric Acid Gel
1.2	Application / Use	Dental material used t	to etch porcelain.	
1.2.2	SIC	851 Human health act	tivity	
1.3	Producer			
	Pulpdent Corporation 80 Oakland Street, PO Box 780 Watertown, MA 02472 USA	Telephone: 1 617 926 Fax: 1 617 926 Email: Pulpdent@pulp	5-6262	
1.4	Emergency Telephone Number	1-800-535-5053 (24 H	lour / USA)	
1.5	Authorized European Representative International Business Solutions Ltd. 54 Mayfield Ridge Hatch Warren, Basingstoke, RG22 4RS UK	Tel: 07989 407479 / F Email: <u>s.williams5@bt</u>		
2.0	Hazards Identification			
2.1	Classification			
2.1.1	Classification according to Regulation	Hazard Class	Hazard Category	Hazard Statement
	(EC) No. 1272/2008 [CLP]	Acute Toxicity Skin Corrosion Serious eye damage	2 1A 1	H300, H330, H310 H314 H318
2.1.2	Classification according to Directive 67/548/EEC (See SECTION 16 for full text of risk phrases)	T; R26/27/28 C; R35		

#### 2.2 GHS Label Elements

Hazard Pictograms





Signal Word: **DANGER** 

Restricted to use by dental professional only.

Hazard Statements H300: Fatal if swallowed H330: Fatal if inhaled.

H310: Fatal in contact with skin.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

Trade Name: Porcelain Etch Gel

## **Precautionary Statements**

P261: Avoid breathing vapors.

P262: Do not get in eyes, on skin or on clothing. P264: Wash hands thoroughly after handling.

P280: Wear protective gloves, lab coat and eye/face protection.

P301: If swallowed, immediately call a Poison Center or doctor/physician.

P302+P350: If on skin, gently wash with soap and water.

P304+340: If inhaled, remove victim to fresh air and keep at rest in a position comfortable for breathing.

3.0	Composition				
3.1 3.2	Chemical Chara Hazardous Ingr		9	1.6% Hydrofluoric Acid in a	proprietary gel base
	CAS Number	Name of the ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1278/2008 (CLP).
	7664-39-3	Hydrofluoric acid	9.6%	T; R 26 / 27 / 28 C; R 35	Acute Toxicity; 2 Skin Corrosion; 1A Serious eye damage; 1
	64-17-5	Ethyl alcohol	5.3 %	Xi: R 36/37/38	Eye irritation, 2 STOT SE 3 Skin irritation, 2
4.0	First Aid Mea	sures			
4.1	4.1 General Information		VERY CORROSIVE! Toxic! Although Porcelain Etch Gel is buffered, diluted (9.6%) hydrofluoric acid that has been incorporated into a gel, this product is still very corrosive. AVOID ALL CONTACT WITH PRODUCT. May be fatal if inhaled, swallowed or absorbed through skin. Causes severe burns. Acute effects may be delayed.		
4.2	4.2 Eye Contact		Call for emergency medical care. Immediately (within 1 minute) flush eyes and surrounding skin with running water for 30-60 minutes, holding lids apart to ensure flushing of the entire surface. Get emergency medical attention only after the flushing is complete unless it can be continued during transport.		
4.3 Skin Contact		Call for emergency medical care. Immediately flush skin with running water for 30-60 minutes while removing contaminated clothing and shoes. Get emergency medical attention only after the flushing is complete unless it can be continued during transport. Apply 2.5% calcium gluconate gel to the exposed area (rubbing it in well) every 15 minutes; if calcium gluconate is not available, apply benzethonium chloride or benzalkonium chloride to the exposed area.			
4.4	Ingestion		rinse mouth an		duce vomiting. If conscious, have patient water to dilute. Never give anything by
4.5	Inhalation				ygen, artificial respiration and/or CPR as Have patient lie down; keep quiet, warm.
4.6	Precautions for	r first responders	burns may be		shield, gloves, lab coat. <b>Awareness of</b> s soon as possible. Have someone else ate area.

Trade Name: Porcelain Etch Gel 4.7 Information for physicians **Symptoms** Pain and redness at site of contact. Victim may not initially be aware of burn. Hazards May be fatal if inhaled, swallowed, absorbed through skin. Causes severe burns. Same as above (4.1 to 4.4). Also, skin burns may be treated by immersing the Treatment area in iced magnesium sulfate solution (25 to 50%) or iced water, taking care to prevent frostbite by moving from iced solution every 10 to 15 minutes. 5.0 **Fire Fighting Measures** 5.1 Suitable extinguishing media Carbon dioxide. Dry chemical. 5.2 Extinguishing media to avoid Water. 5.3 Special exposure hazards in a fire Porcelain Etch Gel: None likely in this product. Bulk Hydrofluoric acid in closed containers: Pressure will build to dangerous levels when exposed to high temperatures. Flammable when heated. 5.4 Special protective equipment for Firefighters should wear self-contained breathing apparatus with full facepiece firefighters operated in pressure demand or other positive pressure mode. Use extinguishing media appropriate to surrounding fire conditions, but no water. 6.0 **Accidental Release Measures** 6.1 Personal precautions Wear face shield or goggles, chemically resistant gloves, and buttoned up lab coat. Avoid all contact with material. Ventilate the area. 6.2 **Environmental precautions** Not indicated for the quantity of HF in this product and under normal conditions of use in a dental practice. Large amounts should not be flushed into sewer. 6.3 For a small spill (this product): Absorb or wipe up spill with inert material, such Method for clean up as paper towels, and transfer to container for disposal. Wash spill site. 7.0 Handling and Storage 7.1 For use by dental professionals only. Keep tightly capped in original container. Handling Do not add any other material to container. Empty container may contain explosive or flammable residue. 7.2 Do not allow food or drink consumption or smoking while handling. Wear Industrial Hygiene protective gloves and goggles. Do not get in eyes, on skin, or on clothing. Wash hands well after use. 7.3 Keep containers tightly closed. Recap immediately after use. Store product in Storage original container at cool room temperature (<25°C) and in a dry, well-ventilated area. Avoid water, heat, sparks, flame, organic substances, direct sunlight. 8.0 **Exposure Controls / Personal Protection** 8.1 Exposure limit values PEL/TLV (HF): 3 ppm; TWA (Alcohol): 1000 ppm 8.2 Exposure controls 8.2.1 Occupational exposure controls Eye protection and chemically impervious gloves are recommended for dental personnel under anticipated conditions of normal use. 8.2.1.1 Respiratory protection For the small quantity provided in this product, no special respiratory protection is required. Local mechanical exhaust ventilation should be used to maintain exposure below 3 ppm.

Trade Name: Porcelain Etch Gel

		For large amounts of hydrofluoric acid, when threshold limits are exceeded (greater than 3 ppm), use self-contained breathing apparatus. Guard against aspiration into lungs.
8.2.1.2	Hand protection	Neoprene or polyethylene gloves are recommended.
8.2.1.3	Eye protection	Safety glasses or face shield worn by dental staff is adequate under normal conditions of use. For large quantities, safety goggles are required.
8.2.1.4	Skin Protection	Wear buttoned lab coat, long sleeves and/or apron over clothing to protect skin.
8.2.1.5	Other Controls	If used <i>in vivo</i> , use rubber dam around tooth to be etched and high speed evacuator tip or other protective devices for patient. Mask all surrounding tissue. Patient should wear safety glasses. Emergency eye wash fountain should be close by. Wash hands thoroughly after handling. Clean protective equipment before reuse

8.2.2	Environmental exposure controls	Do not wash large amounts of any acid into sewer system.	
9.0	Physical and Chemical Properties		
9.1	Appearance / Color		
9.1.1	Color / Physical state	Transparent yellow gel	
9.1.2	Odor	Characteristic	
9.2	Important health, safety and environ	mental information	
9.2.1	pH value	pH <1.5	
9.2.2	Boiling Point (Hydrofluoric acid)	108.33°C	
9.2.3	Flash point	Not determined	
9.2.4	Flammability	Not applicable for Porcelain Etch Gel.	
9.2.5	Explosive properties	Not applicable for Porcelain Etch Gel. For bulk hydrofluoric acid in closed containers: Pressure will build to dangerous levels when exposed to high temperatures. Flammable when heated.	
9.2.6	Oxidizing properties	Not determined	
9.2.7	Vapor Pressure	10.00 mm Hg / 13.33 mbar / Id: E	
9.2.8	Specific Gravity	1.18	
9.2.9	Solubility in water	100%	
9.2.10	Partition coefficient	Not determined	
9.2.11	Viscosity	Not determined	
9.2.12	Vapor density	0.7	
9.2.13	Evaporation rate	Not determined	
9.2.14	Ignition temperature	Not applicable	
9.2.15	Further information	Odor Threshold: 0.04 ppm	
10.0	Stability and reactivity		
10.1	Conditions to avoid	Extremes of temperature (>27°C/80°F, <5°C/40°F), sparks, open flame, all other sources of ignition, contamination	

Trade I	Name: <b>Porcelain Etch Gel</b>	
10.2	Materials to avoid	Water, glass, concrete, materials containing silicon, carbonates, sulfides, cyanides, alkalis, bases, reducing agents, nitric acid, organic materials, metals.
10.3	Hazardous decomposition products	Not available
10.4	Hazardous reactions	Strong exothermic reaction when exposed to incompatible substances. Pressure will build to dangerous levels when closed containers of Hydrofluoric acid are exposed to high temperatures. Flammable when heated.
11.0	Toxicological information	
11.1	Acute toxicity of Hydrofluoric acid (as F)	PEL/TLV: 3 ppm. Dermal LD $_{50}$ mouse: 500 mg/kg. Vapor LC $_{50}$ human: 50 ppm, 30 min. Causes severe burns. Destructive to tissue. Sensation may be delayed.
11.2	Irritation and corrosiveness	Causes severe burns. Destructive to tissue. Sensation of burn may be delayed.
11.3	Sensitization	Not a sensitizer
11.4	Sub-acute, sub-chronic and prolonged toxicity	Not likely in the quantity and concentration available in this product.
11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	None known.
11.6	Empirical data	None available.
11.7	Clinical experience	Pulpdent Porcelain Etch Gel has been used for almost twenty years to successfully prepare porcelain surfaces for bonding. There have been no reports of serious injury during that time. Many of these preparations have taken place in a dental lab where there is less danger. Sometimes, however, it is necessary to use Porcelain Etch Gel intraorally. For these cases, it is most important to have a well-trained, experienced dentist perform the procedure and to use adequate shielding of soft tissue.
12.0	<b>Ecological Information</b>	
12.1	Ecotoxicity	Strong acid. Large amounts of HF may damage wildlife or aquatic ecosystems. Do not flush large amounts to sewer; do not allow large amounts to flow into bodies of water.
13.0	Disposal Considerations	
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.
14.0	Transport Information	
14.1	UN Number	UN 1790
14.2	Technical name	Hydrofluoric Acid Preparation
14.3	IATA Class / Packing group	Class 8, 6.1, Packing Group II
14.4	Transport over land	US DOT/ IATA: Excepted Small Quantities. Maximum unit quantity: 0.5L
14.4.1	Transport Class	Class 8, 6.1, Packing Group II
14.4.2	Label	Hydrofluoric Acid Preparation. Corrosive! Toxic!
14.5	Transport at sea	US DOT/IATA: Excepted Small Quantities. On deck, under deck, passenger and cargo vessels Maximum unit quantity: 0.5L

Trade Name:	Porcelain	Etch Gel
-------------	-----------	----------

14.5.1	Transport Class	Class 8, 6.1, Packing Group II
14.5.2	Label	Hydrofluoric Acid Preparation; Corrosive! Toxic!
14.6	Air transport	US DOT/ IATA: Excepted Small Quantities. Maximum unit quantity: 30 ml
14.6.1	Transport Class	Class 8, 6.1, Packing Group II
14.6.2	Label	Hydrofluoric Acid Preparation. Corrosive! Toxic!
14.7	Further information	No aluminum or glass containers. Packaging must be very secure to prevent leaks and breakage.
15.0	Regulatory Information	
15.1	EU	Class I medical device under the MDD 93/42/EEC.
15.2	US FDA	Class II medical device
15.3	Health Canada	Class III medical device
16.0	Other information	
16.1	List of the relevant R phrases	R 35: Causes severe burns
		R 26 / 27 / 28: Very toxic by inhalation, in contact with skin and if swallowed.
16.2	Hazard Statements	H300: Fatal if swallowed H330: Fatal if inhaled. H310: Fatal in contact with skin. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage.
16.3	Precautionary Statements	P261: Avoid breathing vapors. P262: Do not get in eyes, on skin or on clothing. P264: Wash hands thoroughly after handling. P280: Wear protective gloves, lab coat and eye/face protection. P301: If swallowed, immediately call Poison Center or doctor/physician. P302 + P350: If on skin, gently wash with soap and water. P304 + 340: If inhaled, remove victim to fresh air and keep at rest in a position comfortable for breathing.
16.4	Restrictions on use	Porcelain Etch Gel is to be sold to and used by dental professionals only.
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH) Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency

Pulpdent Corporation Revision Date: July 1, 2013

## **Safety Data Sheet**

Trade Name: Porcelain Etch Gel

16.7 Information which has been added, deleted or revised.

This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format, Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.